

# Lead1Pass

LEAD1PASS

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **PDF Demo** before you buy



## Instant Download



After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

## 365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



## Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



## Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.lead1pass.com/>

Latest Exam Guide & Learning Materials

**Exam** : **1z0-1042-20**

**Title** : Oracle Cloud Platform  
Application Integration 2020  
Associate

**Vendor** : Oracle

**Version** : DEMO

**NO.1** Which three are scenarios where Managed File Transfer (MFT) is a valid approach?

- A.** Oracle MFT can be used in conjunction with Oracle Integration Cloud (OIC) to push files for processing by OIC.
- B.** File adapters remove the need to ever have to use MFT.
- C.** Many SaaS applications still use files as a means for sharing data, so MFT capabilities are still very important.
- D.** File Transfer is an old, outdated method of sharing information and should not be used.
- E.** In integration scenarios where it is important to use either compression and/or encryption in the transfer process.

**Answer:** A,C,E

**NO.2** Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

- A.** Metadata
- B.** Map Data
- C.** Notification
- D.** Orchestration

**Answer:** B,D

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-integrations.html#GUID-FC613C76-F566-4673-BC10-CC893958C8D6>

**NO.3** Which operation is NOT supported by Stage activity?

- A.** Delete File
- B.** Zip File
- C.** Unzip File
- D.** Write File
- E.** Read File in Segments
- F.** Read Entire File

**Answer:** E

**NO.4** Which two are device activities that can be monitored from Oracle Internet of Things (IoT) Cloud Service?

- A.** Device Data Messages
- B.** Application Data
- C.** Device Login Activities
- D.** Alert Messages
- E.** Warning Messages

**Answer:** D,E

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-service.pdf>

**NO.5** Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. View all Details and Deploy API
- C. Entitle API
- D. Manage API

**Answer:** A

Reference:

<https://community.oracle.com/community/oracle-cloud/oracle-cloud-developer-solutions/blog>

**NO.6** When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

- A. a user with the Administrator Role
- B. any user
- C. the same user who has edited the connection
- D. a user with the Designer Role

**Answer:** A,C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-085410CC-9BBE-4F4C-BEB7-8EDD1A9C7A1A> Unlocking a Connection When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited.

To unlock the connection:

1. Log in again as the same user who was editing the connection when the browser crashed, then log out.

For example, if you were logged in as icsdeveloper when the browser crashed, log in again as icsdeveloper, and log out. This action unlocks the connection.

or

1. Log in as a user with the Administrators role.
2. On the Oracle Integration Cloud Service home page, click the Connections diagram.
3. For the connection that is locked, click the menu at the far right, then select Unlock.

**NO.7** Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Deploy to Gateway
- B. Deploy API
- C. View all Details
- D. Node Service Account

**Answer:** D

**NO.8** Which built-in API platform policy lets you manipulate the request context?

- A. Groovy Script Policy
- B. Key Validation Policy
- C. Redaction Policy

**D. Application Rate Limiting Policy**

**Answer:** A

Explanation:

[https://docs.oracle.com/cd/E83857\\_01/paas/api-platform-cloud/apfad/using-oracle-api-platform-cloud-service.pdf](https://docs.oracle.com/cd/E83857_01/paas/api-platform-cloud/apfad/using-oracle-api-platform-cloud-service.pdf)

**NO.9** What policy is required to be in an API if that API is to be used under a Plan?

- A. Interface Filtering
- B. Key Validation
- C. Application Rate Limiting
- D. Basic Auth

**Answer:** B

**NO.10** Which is NOT an activity that an Application Developer (API Consumer) can perform in the Developer Portal in Integration API Platform Cloud Service?

- A. Test an API
- B. Create Application
- C. Subscribe to a plan
- D. Monitor performance
- E. Create an API
- F. Learn about APIs

**Answer:** D

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfdv/typical-workflow-consuming-apis.html#GUID-0AC9919A-A1B6-49D5-B2B1-6E6CD227805A>