

Lead1Pass

LEAD1PASS

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **PDF Demo** before you buy



Instant Download



After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.lead1pass.com/>

Latest Exam Guide & Learning Materials

Exam : 510-306

Title : Powerbuilder 8.0 Developer associate

Vendors : Sybase

Version : DEMO

NO.1 In a DataWindow control, if the user clicks on a row other than the current row, which event should be used to determine both the current row and the new row?

- A. RowChanged
- B. ItemChanged
- C. RowFocusChanged
- D. ItemFocusChanged
- E. RowFocusChanging

Answer: E

NO.2 Two object-level functions with the same name but with argument lists that vary in number or in datatype are said to be _____.

- A. extended
- B. overlaid
- C. overridden
- D. overloaded

Answer: D

NO.3 The Throws clause of a method signature should include:

- A. A list of the checked exceptions that are caught by the method.
- B. A list of the checked exceptions that may be thrown by the method.
- C. A list of the checked exceptions that are either caught or thrown by the method.
- D. A list of all exceptions that are either caught or thrown by the method, regardless of their type.

Answer: B

NO.4 Using listbox lb_1 to show the order in which events are executed for a datawindow control, the

following line of code is added to each event of the datawindow control: lb_1.AddItem(<event_name>) //

where event_name is the name of the event For example, the constructor event starts with: lb_1.AddItem(constructor) Which of the following properties should also be set for the listbox control

lb_1?

- A. Sorted = False
- B. BringToTop = False
- C. VScrollBar = True

D. Enabled = True

Answer: A

NO.5 Which of following will center a main window, w_sheet, opened as a sheet within a MDI frame, w_mdi?

A. At design time, select the center property checkbox of w_sheet.

B. In the open event of w_sheet, set this.center = TRUE.

C. In the open event of w_sheet, set w_mdi.center = TRUE.

D. Sheets cannot be centered within an MDI frame.

Answer: B

NO.6 If multiple sheets are open in an MDI Frame and the user selects a different open sheet, what Window event would the developer code to re-initialize any instance variables on the sheet before allowing user access?

A. Show

B. Key

C. Activate

D. Open

Answer: C

NO.7 Select three examples of script that correctly enable sharing of data among three DataWindows: the primary DataWindow that contains the data (dw_primary), and two secondary DataWindows that will

display the same data (dw_secondary1 and dw_secondary2).

A. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_primary.ShareData(dw_secondary1)

dw_primary.ShareData(dw_secondary2)

B. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_secondary1.ShareData(dw_secondary2) dw_primary.Retrieve()

C. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_primary.ShareData(dw_secondary2) dw_primary.Retrieve()

D. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_secondary1.ShareData(dw_primary)

dw_secondary2.ShareData(dw_primary)

Answer: ABC

NO.8 Which of the following Targets are considered Web Targets?

- A. EAServer Component
- B. Dynamo WebSite
- C. WebSite
- D. Migrate PowerSite 7.1 Project(s)

Answer: BCD

NO.9 You write a script that uses dot notation to manipulate a DataWindow column property. What is the

behavior when the property name is misspelled? (For example:

`dw_1.Object.emp_name.Visibl = "0"`)

- A. The script will not compile.
- B. The script will compile, but the code in the DBError event will execute at run time.
- C. The script will compile, but the code in the Error event for dw_1 will execute at run time.
- D. The script will compile, but the code in the ItemError event for dw_1 will execute at run time.

Answer: C

NO.10 If you code the following (given emp_id is a valid integer column name) what will happen? integer li_i

`li_i=dw_1.object.emp_id.selected`

- A. This code will not compile.
- B. li_i will contain the number of rows selected.
- C. li_i will contain an array of the selected emp_id's.
- D. This code will successfully compile, but will return an error at run time.

Answer: D

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.11 Which of the following display an objects inheritance hierarchy? (choose two)

- A. Browser
- B. Library Painter
- C. System Tree
- D. Script View
- E. Debugger

Answer: AD

NO.12 Examine the following code: long ll_retval ll_retval = 7 CloseWithReturn(this, ll_retval)

Where is the return value after the CloseWithReturn is executed?

- A. Message.WordParm
- B. Message.DoubleParm
- C. Message.StringParm
- D. Message.PowerObjectParm

Answer: B

NO.13 Which is NOT a built-in global variable of an application?

- A. SQLCA
- B. Error
- C. Transaction D. Message

Answer: C

NO.14 Which painter is used to associate a datawindow object with a datawindow control at design time?

- A. application painter
- B. datawindow painter
- C. library painter
- D. database painter
- E. window painter

Answer: E

NO.15 Which project is indicated for building a client application to access an EAServer component?

- A. Application Wizard
- B. Connection Object Wizard
- C. EAServer Component Wizard
- D. EAServer Proxy Wizard

Answer: D

NO.16 Which of the following presentation styles are NOT supported by the WEB DataWindows?

- A. Composite
- B. Crosstab
- C. Freeform

- D. Graph
- E. Group
- F. N-Up

Answer: AD

NO.17 What function is called to dynamically add a tab control to a window?

- A. Show()
- B. OpenTab()
- C. OpenSheet()
- D. InsertObject()
- E. OpenUserObject()

Answer: E

NO.18 What type of data source can be used with a DataWindow but not with a Pipeline?

- A. query
- B. SQL select statement
- C. external
- D. stored procedure

Answer: C

NO.19 The Timer event of a window can be initialized with which function?

- A. Start()
- B. Idle()
- C. Sleep()
- D. Timer()

Answer: D

NO.20 For which two controls does GetItemAtPointer() return a reference to the item under the cursor?

- A. ListBox
- B. ListView
- C. TreeView
- D. DropDownListBox

Answer: BC